

**FACSIMILE TRANSMISSION**

To:

**Mail Stop:**

UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED  
CENTRAL FAX CENTER

Facsimile No.: 571-273-8300

**SEP 04 2008**No. of Pages (including this page): 6**IF YOU DO NOT RECEIVE CLEARLY ALL PAGES, PLEASE CONTACT US  
IMMEDIATELY BY TELEPHONE AT (202) 543-6404****USPTO: PLEASE ACKNOWLEDGE CLEAR RECEIPT OF ALL PAGES INDICATED  
ABOVE BY FAXING THIS PAGE BACK TO (202) 543-6406**

In re: PATENT APPLICATION of:

Inventor(s): MILLS

Atty. Dkt. 2560-0479

Appln. 10/710,723

Group Art.: 3745

No.:

Filed: July 30, 2004

Examiner: NGUYEN, Ninh

Title: MITIGATION OF UNSTEADY PEAK FAN  
BLADE AND DISC STRESSES IN TURBOFAN  
ENGINES THROUGH THE USE OF FLOW  
CONTROL DEVICES TO STABILIZE  
BOUNDARY LAYER CHARACTERISTICS

Date: September 4, 2008

Name of paper being transmitted: RCE, Information Disclosure statement citing application  
and PTO-1449.

Message: See attached.

**CERTIFICATE OF FACSIMILE TRANSMISSION**I hereby certify that this paper is being facsimile transmitted to the Patent and Trademark Office at  
the above fax number on the date shown below.Name: Timothy J. KlimaSig: Date: September 4, 2008Harbin King & Klima  
500 Ninth Street, SE  
Washington, DC 20003  
(202) 543-6404 Phone  
(202) 543-6406 Fax

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED  
CENTRAL FAX CENTER

SEP 04 2008

In re: PATENT APPLICATION of:

Inventor(s): MILLS

Atty. Dkt. 2560-0479

Appln. No.: 10 / 710,723

Group Art.: 3745

Filed: July 30, 2004

Examiner: NGUYEN, Ninh

Title: MITIGATION OF UNSTEADY PEAK FAN BLADE  
AND DISC STRESSES IN TURBOFAN ENGINES  
THROUGH THE USE OF FLOW CONTROL  
DEVICES TO STABILIZE BOUNDARY LAYER  
CHARACTERISTICS

Date: September 4, 2008

REPLY/AMENDMENT/LETTER TRANSMITTAL COVER SHEET

Mail Stop:

Hon. Commissioner of Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

This is a reply/amendment/letter in the above-identified application and includes the attachments hereto.  
The signature below is treated as the signature to the attachments in the absence of a signature thereto.

FEE REQUIREMENTS FOR CLAIMS AS AMENDED

				Large/Small Entity	
1. Total Effective Claims		Minus # Paid For	=	X \$50 / \$25 =	+
2. Independent Claims		Minus # Paid For	=	X \$210 / \$105 =	+
3. If amendment enters proper multiple dependent claim(s) into this application for first time (leave this line blank if this is reissue application)				\$370 / \$185 =	+
4. Original due date: September 4, 2008					
Petition is hereby made to extend the original due date to cover the date this response is filed for which the requisite fee		1 mo.		\$120 / \$60 =	+
		2 mos.		\$460 / \$230 =	
		3 mos.		\$1050 / \$525 =	
		4 mos.		\$1640 / \$820 =	
6. Petition Fee				\$130	+
7. Other fee for RCE					+940
8. Total Fee Enclosed:					\$940

9. ☒ Please charge the total fee to our Deposit Account No.: 50-3272 under our Order No. (Matter No.): 2560-0479

**CHARGE STATEMENT:** The Commissioner is hereby authorized to charge any fee specifically authorized hereafter, or any missing or insufficient fee(s) filed, or asserted to be filed, or which should have been filed herewith or concerning any paper filed hereafter, and which may be required under Rules 16-18 (missing or insufficiencies only) now or hereafter relative to this application and the resulting Official document under Rule 20, or credit any overpayment, to our Account/Order Nos. shown in the heading hereof for which purpose a duplicate copy of this sheet is attached.

Harbin Klima Law Group PLLC  
500 Ninth Street, SE  
Washington, DC 20003  
Phone: 202-543-6404  
Fax: 202-543-6406

By:

Respectfully submitted,

Timothy J. Klima

Reg. No.: 34,852

09/05/2008 HMARZ11 00000020 503272 10710723

02 FC:1464

130.00 DA

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED  
CENTRAL FAX CENTER

In re: PATENT APPLICATION of:

SEP 04 2008

Inventor(s): MILLS

Atty. Dkt. 2560-0479

Appln. No.: 10 / 710,723

Group Art.: 3745

Filed: July 30, 2004

Examiner: NGUYEN, Ninh

Title: MITIGATION OF UNSTEADY PEAK FAN BLADE  
AND DISC STRESSES IN TURBOFAN ENGINES  
THROUGH THE USE OF FLOW CONTROL  
DEVICES TO STABILIZE BOUNDARY LAYER  
CHARACTERISTICS

Date: September 4, 2008

REPLY/AMENDMENT/LETTER TRANSMITTAL COVER SHEETMail Stop:  
Hon. Commissioner of Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

This is a reply/amendment/letter in the above-identified application and includes the attachments hereto.  
The signature below is treated as the signature to the attachments in the absence of a signature thereto.

FEE REQUIREMENTS FOR CLAIMS AS AMENDED

				Large/Small Entity	
1. Total Effective Claims		Minus # Paid For	=	X \$50 / \$25 =	+
2. Independent Claims		Minus # Paid For	=	X \$210 / \$105 =	+
3. If amendment enters <u>proper</u> multiple dependent claim(s) into this application for first time (leave this line <u>blank</u> if this is <u>reissue</u> application)				\$370 / \$185 =	+
4. Original due date: September 4, 2008					
Petition is hereby made to extend the <u>original</u> due date to cover the date this response is filed for which the requisite fee		1 mo.		\$120 / \$60 =	+
		2 mos.		\$460 / \$230 =	
		3 mos.		\$1050 / \$525 =	
		4 mos.		\$1640 / \$820 =	
6. Petition Fee				\$130	+
7. Other fee for RCE					+940
8. Total Fee Enclosed:					\$940
9. <input checked="" type="checkbox"/> Please charge the total fee to our Deposit Account No.: 50-3272 under our Order No. (Matter No.): 2560-0479					

**CHARGE STATEMENT:** The Commissioner is hereby authorized to charge any fee specifically authorized hereafter, or any missing or insufficient fee(s) filed, or asserted to be filed, or which should have been filed herewith or concerning any paper filed hereafter, and which may be required under Rules 16-18 (missing or insufficiencies only) now or hereafter relative to this application and the resulting Official document under Rule 20, or credit any overpayment, to our Account/Order Nos. shown in the heading hereof for which purpose a duplicate copy of this sheet is attached.

Harbin Klima Law Group PLLC  
500 Ninth Street, SE  
Washington, DC 20003  
Phone: 202-543-6404  
Fax: 202-543-6406

By:

Respectfully submitted,

\_\_\_\_\_  
Timothy J. Klima  
Reg. No.: 34,852